


CAPTIVATING BEAUTY









ABOUT US

The grand inception of this pioneering organization took place more than a decade ago. Since its inception, Motto Group has become a leading Indian manufacturer and exporter of ceramic and vitrified tiles all around the globe. Its manufacturing unit in Morbi, Gujarat has a production capacity of



M A R B L E 💠



MONOLITH BEIGE

Available size : 800x1600mm

Thicknes

Finish Matt - Carving



MARBLE 💠



MONOLITH BIANCO

Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving



MARBLE 🛟



MONOLITH CEMENTO

Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving







MONOLITH CARBON


Available size : 800x1600mm

Finish Matt - Carving

Thickness 9mm








MONOLITH GRIGIO

Available size : 800x1600mm

Finish Matt - Carving

Thickness 9mm







MONOLITH GRIS

Available size : 800x1600mm

Finish Matt - Carving

Thickness 9mm







MONOLITH NERO


Available size : 800x1600mm

Finish Matt - Carving

Thickness 9mm








MONOLITH TAUPE

Available size : 800x1600mm

Finish Matt - Carving

Thickness 9mm








MONOLITH VERDE

Available size : 800x1600mm

Finish Matt - Carving

Thickness 9mm







GRAINYSTONE GOLD

Available size : 800x1600mm

Finish Matt - Carving

Thickness 9mm





ASTONIA GREY

Available size : 800x1600mm

Thickness

Finish Matt - Carving





ROSALIA GOLD


Available size : 800x1600mm

Thickness

Finish Matt - Carving







NORWELL STATUARIO

Available size : 800x1600mm Finish Matt - Carving

Thickness



MIDAS BEIGE

Available size : 800x1600mm

Thickness

Finish Matt - Carving





EMPERDOR BEIGE

Available size : 800x1600mm

Thickness

Finish Matt - Carving





MARBLE 🛟



ACRON BEIGE

Available size : 800x1600mm

Thickness

Finish Matt - Carving








ESHA BROWN

Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving







ARIANA BROWN

Available size : 800x1600mm

Thickness

Finish Matt - Carving



MARBLE 🛟



LIMS BEIGE


Available size : 800x1600mm

Thickness

Finish Matt - Carving

Design End Less [4Phase]








SILVIA BEIGE

Available size : 800x1600mm

> Design End Less (4 Phase)

Finish Matt - Carving






ROYAL CREMA


Available size : 800x1600mm

> Design End Less (3 Phase)

^{Finish} Matt - Carving

Thickness 9mm





MARBLE 💠




NEXO RUST

Available size : 800x1600mm

ness

^{Finish} Matt - Carving





ANTIQUE CREMA

Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving






ARMANI BEIGE

Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving





M A R B L E 💠




ARMANI BROWN

Available size : 800x1600mm

> Design Random [4 Phase]

Finish Matt - Carving







BRESCIA

Available size : 800x1600mm

Thickness

Finish Matt - Carving





M A R B L E 🛟



DYNA ROYAL

Available size : 800x1600mm

Thickness

Finish Matt - Carving






BOTTICHINO FIORITO

Available size : 800x1600mm

hickness

Finish Matt - Carving



MARBLE 💠




BURBERRY CREMA

Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving








CARMEL BROWN

Available size : 800x1600mm

Thickness

Finish Matt - Carving







ESPERDA BROWN

Available size : 800x1600mm

Thickness

Finish Matt - Carving





KATNI BEIGE


Available size : 800x1600mm

Thickness

Finish Matt - Carving

Design End Less [4Phase]







RIVER BEIGE

Available size : 800x1600mm

Thickness

Finish Matt - Carving









RIVER BROWN

Available size : 800x1600mm Finish Matt - Carving

Thickness 9mm








SMOKY CREMA

Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm







VICTORIA BEIGE

Available size : 800x1600mm

Thickness

Finish Matt - Carving

Design End Less (4 Phase)





ELITE TRAVERTINO BEIGE

Available size : 800x1600mm

Thickness

Finish Matt - Carving

Design End Less (1 Phase)





FENIX SILVER

Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm

Design End Less [4Phase]






MIDDAS GREY

Available size : 800x1600mm

Thickness 9mm Finish Matt - Carving

Design End Less (4 Phase)





EMPERDOR GREY


Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving

Design End Less (4Phase)








ACRON GREY

Available size : 800x1600mm

Thickness 9mm ^{Finish} Matt - Carving

Design End Less [4Phase]








ROYAL SWISS

Available size : 800x1600mm

> Design End Less (3 Phase)

Finish Matt - Carving








BLACK ROMA

Available size : 800x1600mm

Finish Matt - Carving

Thickness 9mm Design End Less (4 Phase)





NORWELL STATUARIO

Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm





ARISTO BIANCO


Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm





MARBLE 🛟




CALACATTA GOLD

Available size : 800x1600mm

Thickness

Finish Matt - Carving








NIVEA GREY

Available size : 800x1600mm Finish Matt - Carving

Thickness 9mm









STONELA NIGHT

Available size : 800x1600mm

Finish Matt - Carving

Thickness 9mm








STONELA SMOKE

Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm







STONELA WINTER

Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm






MARBLE 🛟



STONELA SNOW

Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm



MARBLE 💠



SUMINAGASHI WHITE

Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm Design End Less (1 Phase)





MARBLE 🛟



NEXO GREY

Available size : 800x1600mm

Thickness 9mm ^{Finish} Matt - Carving










VOLKAS WHITE

Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm







BLUE ROMA

Available size : 800x1600mm

Thickness

Finish Matt - Carving

Design End Less (4 Phase)



MARBLE 💠



BOSCO GREY

Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving

Design End Less [4Phase]





MARBLE 🛟




CARMEL GREY

Available size : 800x1600mm

Thickness 9mm ^{Finish} Matt - Carving





MARBLE 💠




GREY OPERA

Available size : 800x1600mm

Thickness 9mm ^{Finish} Matt - Carving







PIETRA GREY

Available size : 800x1600mm

Thickness 9mm ^{Finish} Matt - Carving

Design End Less (4 Phase)





MARBLE 🛟



ESPERDA GREY

Available size : 800x1600mm

Thickness 9mm ^{Finish} Matt - Carving

Design End Less (4 Phase)





MARBLE 💠




BRESCIA GREY


Available size : 800x1600mm

Thickness 9mm | 0

Finish Matt - Carving










ARIANA GREY

Available size : 800x1600mm

Thickness 9mm ^{Finish} Matt - Carving



MARBLE 💠



SMOKY ICE

Available size : 800x1600mm ^{Finish} Matt - Carving

Thickness 9mm





VERSACE GOLD


Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving

Design End Less [4 Phase]





ITALIAN AGERA GREY

Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving








STATURIO EXTRA VENA

Available size : 800x1600mm Finish Matt - Carving

Thickness 9mm








RIVER SILVER

Available size : 800x1600mm

Thickness 9mm Finish Matt - Carving





MARBLE 💠



ELITE TRAVERTINO GREY

Available size : 800x1600mm

Thickness

^{Finish} Matt - Carving

Design End Less (1 Phase)






Carving Wood



200x1600 mm





Tile Name:


FOREST WOOD AMBER





Available size : 200x1600mm

Thickness 9mm Finish Matt - Carving






FOREST WOOD AMBER

Available size : 200x1600mm

Thickness 9mm Finish Matt - Carving





ITALIAN TECHNOLOGY






Available size : 200x1600mm

Thicknes

Finish Matt - Carving






ROSEWOOD NATURAL


Available size : 800x1600mm

Thickness 9mm Finish Wooden Matt



APPLICATIONS

Leading towards the enhancement of our lives, we apt to do the impossible. Same goes round here as well. Utilizing the state of the art technology, we are here to mesmerize you with surfaces which are applicable in many various spaces. These high end surfaces can be applied on the spaces which appreciates durablity & endurance.



FEATURES



STRONG: Strength is the inherent feature of our indeed creation. We strive to deliver a melange of strength, craftsmanship, and size delivering function benefits as per the requirement of ambience



LIGHT: Subtleness with strong identity yet light in weight. Create interiors that interact with the architectural space with a refined look




SELF LEVELLING: This next level feature create a smooth and even surface which makes it the most convenient among all.




GREEN: At Motto Group, we are committed to the environment and recognize that sustainability is an significant and and crucial part of our journey, we make it happen by producing trendsetting tiles in a zero-waste manufacturing process.


MANUALLY TRANSPORTING IMMODERATE


MOVING A IMMODERATE TILE






RAISING A IMMODERATE TILE ONTO A BENCH








HANDLING IMMODERATE TILE FOR WALL








WORKING WITH THE VARIOUS VERSIONS OF IMMODERATE

CUTTING WITH DIAMOND DISCS





Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (< 1 m/min). It may be required to cool the disc with water. Recommended discs are the thin typesgenerally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath

DRILLING





 $You \ can use \ cutting \ discs fitted to battery-operated screwdrivers \ or angle \ grinders, electrical \ drills \ as \ an \ alternative.$

INTERNAL CUT / L-SHAPED CUT



To get internal and L-shaped corners & to reduce the risk of breakage. round o the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, follow the instructions provided above.


When using these tools:

- -Cool the point being drilled with water
- -Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
- -If you are using tungsten bits, start drilling at a low speed
- -If you are using drills or screwdrivers, do not select hammering mode

EDGE-FINISHING







CLEANING & MAINTENCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE	
Grease	Alkaline - Solvent	Detergent	
Oil	Solvent	Ammonia, Backing Soda	
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover	
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic	
Lime	Acid	Descaling Reagent, Hydro Chloric Acid	
Cement	Acid	Hydro Chloric Acid	
Wine	Alkaline	Ammonia, Liquid Bleach	
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach	
Rubber	Solvent	Alcohol, Thinner	
Plaster	Acid	Hydro Chloric Acid	
Candle Wax	Solvent	Alcohol, Thinner	
lodine	Oxidant	Liquid Bleach	
Blood	Oxidant	Liquid Bleach	
Ice Cream	Alkaline	Liquid Bleach	

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

PACKING DEATILS

DIMENSION (mm)	SLAB	SQ. METER	SQ. FEET	WEIGHT (APPROX)
800x1600	2	2.56	27.55	52 Kgs.

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	MOTTO VALUE	TEST METHOD
	Regulatory Pr	operties	
Deviation in Length & Width	<u>+</u> 0.5%	<u>+</u> 0.2%	ISO 10545-2
Deviation in Thickness	<u>+</u> 5%	<u>+</u> 5%	ISO 10545-2
Straightness of Sides	<u>+</u> 0.5% <u>+</u> 0.2%		ISO 10545-2
Rectangularity	<u>+</u> 0.5%	<u>+</u> 0.2%	ISO 10545-2
Surface Flatness	<u>+</u> 0.5%	<u>+</u> 0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	>90%	Gloss Meter 60°
	Structural Pro	pperties	
Water Absorption	≤0.5 %	<u>≤</u> 0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
	Massive Mechanic	al Properties	
Modulus of Repture	Min.35N/mm²	Min.40N/mm²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
	Surface Mechanica	al Properties	
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
	Thermo Hygrometri	c Properties	
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	e Expansion Max. 0.6mm/m		ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.0x10 ⁻⁶	ISO 10545-8
	Chemical Pro	operties	
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
	Safety Prop	perties	
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.



MOTTO GROUP

8-A, National Highway, Sartanpar Road, At. Sartanpar, Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA

Mail. info@mottogroup.in, Web. www.mottogroup.in Toll-free. 1800 123 2124 Call. +91 95123 80072