# Glossy





# **ABOUT US**

The grand inception of this pioneering organization took place more than a decade ago. Since its inception, Motto Group has become a leading Indian manufacturer and exporter of ceramic and vitrified tiles all around the globe. Its manufacturing unit in Morbi, Gujarat has a production capacity of





### MARCUS BEIGE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (4 Phase)





### NATURAL MARFIL

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (4 Phase)





### LIMS SMOKE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design End Less (4 Phase)





### LIMS ALMOND

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design End Less (4 Phase)



### LIMS BEIGE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy





### ACRON BEIGE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design End Less (4 Phase)




### SILVIA BEIGE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy





### ROSALIA CREMA


Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design End Less (3 Phase)





### IMPERIAL ONYX

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (3 Phase)








### **SARREN COLLIN NATURAL**

Available size : 800x1600mm Finish Glossy

Thickness 9mm Design Random (4Phase)



### M A R B L E 💠



### ANTIQUE BEIGE


Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (6 Phase)







### BLUE BRESCIA

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy

Design Random (3 Phase)





### BOTTICINO

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (4 Phase)





### BOTTICINO FIORITO


Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (7 Phase)








### BRESCIA

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (3 Phase)







### BRESCIA ONICITA

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (3 Phase)



### MARBLE 💠




### **BURBERRY CREMA**

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy





## M A R B L E 💠



### CORK TRAVERTINO

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy

Design Random (4 Phase)





### MARBLE 💠



### CREMA BEIGE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (6 Phase)



### MARBLE 💠




### CREMA MARFIL


Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (2 Phase)







### DYNA CREMA

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (2 Phase)





### DYNA ROYAL

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy



## MARBLE 💠



### PIETRA CREMA

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy



### MARBLE 💠





### PIETRA BEIGE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy





### M A R B L E 💠



### IRIS BEIGE

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy

Design Random (5 Phase)





## MARBLE 💠



### KATNI BEIGE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design End Less (4 Phase)





### PULPIS BEIGE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design Random (4 Phase)







### SARREN COLLIN

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design End Less (4 Phase)



### M A R B L E 💠



### SARREN COLLIN L&R


Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

<sub>Design</sub> Book Match







### ESPERDA BROWN

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

Design End Less (4 Phase)





### SOFT ART BIANCO

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy






### LIMS GREY

Available size : 800x1600mm

Thickness 9mm Finish Glossy

Design End Less (4 Phase)





### **NIVEA GREY**

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy

Design Random (4 Phase)





### **ACRON GREY**

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy





## **MYSTIC GREY**

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy







## MYSTIC COFFEE

Available size : 800x1600mm

Finish Hi-Gloss

Thickness 9mm




## MARBLE 🛟



## **ESPERDA GREY**

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy





## M A R B L E 🛟




## **BOSCO GREY**

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy








## **BRESCIA GREY**

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy








## **GOLDEN WAVE GREY**

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy







## **GREY OPERA**

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy





## PIETRA GREY

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy



## M A R B L E 🛟



## PIETRA SILVER

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy








## SARREN COLLIN GREY

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy








## **WILLIAM GREY**

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy






## STATUARIO ROYAL

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy






## CALACATTA ELITE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy






## STATUARIO VOLKAS

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy







## ALPINE WHITE

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy







## ALASKA WHITE

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy






## CRISTAL STATUARIO


Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy








## DIAMOND GOLD

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy






## ESTATUARIO L&R


Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy

<sub>Design</sub> Book Match






## ONYX GREEN

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy





## **GREY SPIDER**

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy



## M A R B L E 🛟



## ONYX WHITE


Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy



## M A R B L E 💠




## SCREPOLATO NERO

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy






## SENSO WHITE

Available size : 800x1600mm

Thickness 9mm <sup>Finish</sup> Glossy





## SMOKE STATUARIO

Available size : 800x1600mm

Thickness

<sup>Finish</sup> Glossy



## M A R B L E 💠




## STATUARIO EXTRA VENA

Available size : 800x1600mm

<sup>Finish</sup> Glossy

Thickness 9mm






## SCREPOLATO BROWN

Available size : 800x1600mm


Thickness

<sup>Finish</sup> Glossy



## **APPLICATIONS**

Leading towards the enhancement of our lives, we apt to do the impossible. Same goes round here as well. Utilizing the state of the art technology, we are here to mesmerize you with surfaces which are applicable in many various spaces. These high end surfaces can be applied on the spaces which appreciates durablity & endurance.



## **FEATURES**



**STRONG**: Strength is the inherent feature of our indeed creation. We strive to deliver a melange of strength, craftsmanship, and size delivering function benefits as per the requirement of ambience



**LIGHT**: Subtleness with strong identity yet light in weight. Create interiors that interact with the architectural space with a refined look




**SELF LEVELLING**: This next level feature create a smooth and even surface which makes it the most convenient among all.




**GREEN**: At Motto Group, we are committed to the environment and recognize that sustainability is an significant and and crucial part of our journey, we make it happen by producing trendsetting tiles in a zero-waste manufacturing process.


#### **MANUALLY TRANSPORTING**


#### MOVING A IMMODERATE TILE






#### **RAISING A IMMODERATE TILE ONTO A BENCH**






✓ CORRECT

#### HANDLING IMMODERATE TILE FOR WALL



X INCORRECT






#### **WORKING WITH THE VARIOUS VERSIONS OF**

#### **CUTTING WITH DIAMOND DISCS**





Our products can be cut using diamond discs fitted onto the hand-held electrical grinding machine. The speed of Disc rotation must be high (>10000 RPM) and should have a low feed rate (< 1 m/min). It may be required to cool the disc with water. Recommended discs are the thin typesgenerally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gap underneath

#### **DRILLING**





 $You \ can use \ cutting \ discs fitted to battery-operated screwdrivers \ or angle \ grinders, electrical \ drills \ as \ an \ alternative.$ 

#### **INTERNAL CUT / L-SHAPED CUT**



To get internal and L-shaped corners & to reduce the risk of breakage. round o the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To drill and cut using diamond discs, follow the instructions provided above.


#### When using these tools:

- -Cool the point being drilled with water
- -Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on
- -If you are using tungsten bits, start drilling at a low speed
- -If you are using drills or screwdrivers, do not select hammering mode

#### **EDGE-FINISHING**







#### **CLEANING & MAINTENCE**

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE	
Grease	Alkaline - Solvent	Detergent	
Oil	Solvent	Ammonia, Backing Soda	
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover	
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic	
Lime	Acid	Descaling Reagent, Hydro Chloric Acid	
Cement	Acid	Hydro Chloric Acid	
Wine	Alkaline	Ammonia, Liquid Bleach	
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach	
Rubber	Solvent	Alcohol, Thinner	
Plaster	Acid	Hydro Chloric Acid	
Candle Wax	Solvent	Alcohol, Thinner	
lodine	Oxidant	Liquid Bleach	
Blood	Oxidant	Liquid Bleach	
Ice Cream	Alkaline	Liquid Bleach	

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

#### **PACKING DEATILS**

DIMENSION ( mm )	SLAB	SQ. METER	SQ. FEET	WEIGHT (APPROX)
800x1600	2	2.56	27.55	52 Kgs.

#### **TECHNICAL SPECIFICATION**

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	MOTTO VALUE	TEST METHOD
	Regulatory Pro	operties	
Deviation in Length & Width	<u>+</u> 0.5%	<u>+</u> 0.2%	ISO 10545-2
Deviation in Thickness	<u>+</u> 5%	<u>+</u> 5%	ISO 10545-2
Straightness of Sides	<u>+</u> 0.5%	<u>+</u> 0.2%	ISO 10545-2
Rectangularity	<u>+</u> 0.5%	<u>+</u> 0.2%	ISO 10545-2
Surface Flatness	<u>+</u> 0.5%	<u>+</u> 0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	∆E<0.30	ISO 10545-16
Glossiness	As per Mfg.	>90%	Gloss Meter 60°
	Structural Pro	pperties	
Water Absorption	≤0.5 %	≤0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
,	Massive Mechanic	al Properties	•
Modulus of Repture	Min.35N/mm²	Min.40N/mm²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
	Surface Mechanica	al Properties	
Surface Abrasion Resistance	rface Abrasion Resistance As per Mfg.		ISO 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	BS EN 15771
	Thermo Hygrometri	c Properties	
rost Resistance As Per Mfg.		Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.0x10 <sup>-6</sup>	ISO 10545-8
	Chemical Pro	pperties	
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
'	Safety Prop	perties	•
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.



#### SLIM TILE PVT LTD.

8-A N.H., Sartanpar Road, At, Sartanpar, Ta. Wakaner, Morbi - 363 621, Gujarat, INDIA.

**E-mail :** info@mottogroup.in | www.mottogroup.in **Toll-free Number :** 1800 123 2124 | +91 95123 80072