

**MOTTO**<sup>®</sup>

Tiles & Bathware



**WOOD  
SERIES**

800x1600mm  
295x1600mm  
195x1600mm  
130x1600mm

## WOOD SERIES

Step into the warmth of nature with our Wood Series Tiles, designed to bring timeless elegance to any space. Available in four versatile sizes, these tiles seamlessly adapt to diverse ambiances, making them perfect for both floors and walls. Inspired by the beauty of natural wood, they exude charm while ensuring durability.

For an artistic touch, the Décor Wood Punch acts as a stunning highlighter, enhancing walls with its intricate design. Whether creating a feature wall or blending with floors, this element adds depth and sophistication. With a palette of three rich colors, you can curate spaces that feel cozy yet luxurious.

Crafted with advanced GHR finish, these tiles offer a refined texture that elevates interiors with a sense of richness. The high-tech manufacturing ensures lasting beauty, making them a perfect blend of nature and innovation. Transform your spaces with the warmth, style, and strength of our Wood Series.

800X 1600MM	295X 1600MM	195X 1600MM	130X 1600MM
----------------	----------------	----------------	----------------



## Glorious Range of Surface Beauty

800x1600mm

295x1600mm

195x1600mm

130x1600mm



## Technical Features

Our slabs are designed with advanced technical features to ensure exceptional durability and aesthetics. With anti-transparent grits and low reflection properties, they offer a sleek and refined appearance.

The abrasion-resistant surface ensures they withstand daily wear and tear, maintaining their beauty over time. Crafted to replicate the elegance of natural stone, these slabs provide a long-lasting surface akin to marble, making them a perfect choice for spaces requiring both style and resilience.



Frost  
Resistance



High Abrasion  
Resistance



Anti-Slip  
Surface



Fire  
Resistance



Increasing life  
span of Tile



Long life surface like  
natural wood



Different particle size to  
get structure difference



Creation of premium  
range of tile (sumptuous)



Water  
Resistance

## Application Areas

Our surfaces are ideal for various applications, from residential homes to high-traffic public areas, ensuring durability and aesthetic appeal.



Residential Areas



Commercial Areas



Hospitals



Shops & Malls



Hotels & Restaurants



Schools & Colleges



Religious Places



Railway Stations



Parks & Outdoor Furnitures



Public Places

## Application Possibilities

Our versatile slabs enhance kitchen countertops, bathtubs, staircases, etc combining durability, elegance and timeless aesthetics to each ambiance.



Door & Window Frame



Kitchen Countertop



Dining Table





Table Top




Shelves



Floor & Wall



Vanity Top



Wash Basin



Stair Case



Bath Tub




# OAK WOOD BROWN


Inspired by the rich textures of natural oak, Oak Wood Brown tiles bring warmth and sophistication to any setting. With their realistic wood grain patterns and earthy brown tones, they create a cozy yet luxurious ambiance. Perfect for both modern and classic interiors, these tiles offer the beauty of wood with the durability of ceramic. Elevate your floors and walls with a touch of timeless charm.




**Oak Wood Brown**




Size : 130x1600mm



Size : 195x1600mm



Size : 295x1600mm



Size : 800x1600mm



**Oak Wood Brown Decor 01**

Size : 800x1600mm





**Oak Wood Brown Decor 02**

Size : 800x1600mm



**Oak Wood Brown Decor 03**

Size : 800x1600mm




Sr. No.	Size	Design Name	Phases	Finish	Thickness
1	130x1600mm	Oak Wood Brown	Random 24	SPA	09mm
2	195x1600mm	Oak Wood Brown	Random 16	SPA	09mm
3	295x1600mm	Oak Wood Brown	Random 8	SPA	09mm
4	800x1600mm	Oak Wood Brown	Random 4	SPA	09mm
5	800x1600mm	Oak Wood Brown Decor 01	Random 2	SPA 3.0	09mm
6	800x1600mm	Oak Wood Brown Decor 02	Random 3	SPA 3.0	09mm
7	800x1600mm	Oak Wood Brown Decor 03	Random 4	SPA 3.0	09mm

Scan For Virtual





Oak Wood Brown



Oak Wood Brown Decor 02




Oak Wood Brown Decor 01



Oak Wood Brown Decor 03


# OAK WOOD COFFEE

With deep coffee-brown tones and natural wood grain textures, Oak Wood Coffee tiles bring a sense of warmth and sophistication to any space. Their rich, earthy finish adds depth and character, making them perfect for both modern and rustic interiors. Designed for durability and style, these tiles offer the timeless charm of wood with the strength of ceramic, creating a cozy yet luxurious ambiance.







### Oak Wood Coffee




Size : 130x1600mm



Size : 195x1600mm



Size : 295x1600mm



Size : 800x1600mm



### Oak Wood Coffee Decor 01

Size : 800x1600mm





### Oak Wood Coffee Decor 02

Size : 800x1600mm



### Oak Wood Coffee Decor 03

Size : 800x1600mm



Sr. No.	Size	Design Name	Phases	Finish	Thickness
1	130x1600mm	Oak Wood Coffee	Random 24	SPA	09mm
2	195x1600mm	Oak Wood Coffee	Random 16	SPA	09mm
3	295x1600mm	Oak Wood Coffee	Random 8	SPA	09mm
4	800x1600mm	Oak Wood Coffee	Random 4	SPA	09mm
5	800x1600mm	Oak Wood Coffee Decor 01	Random 2	SPA 3.0	09mm
6	800x1600mm	Oak Wood Coffee Decor 02	Random 3	SPA 3.0	09mm
7	800x1600mm	Oak Wood Coffee Decor 03	Random 4	SPA 3.0	09mm

Scan For Virtual





Oak Wood Coffee



Oak Wood Coffee Decor 02



Oak Wood Coffee Decor 01



Oak Wood Coffee Decor 03

# OAK WOOD NATURAL

Inspired by the raw elegance of natural oak, Oak Wood Natural tiles bring warmth and authenticity to any space. With subtle wood grain patterns and a soft, earthy tone, they create a seamless blend of nature and sophistication. Perfect for modern, classic, or rustic interiors, these tiles offer the beauty of real wood with the durability of ceramic, making every space feel inviting and timeless.



### Oak Wood Natural



Size : 130x1600mm



Size : 195x1600mm



Size : 295x1600mm



Size : 800x1600mm


### Oak Wood Natural Decor 01

Size : 800x1600mm





### Oak Wood Natural Decor 02

Size : 800x1600mm



### Oak Wood Natural Decor 03



Size : 800x1600mm




Sr. No.	Size	Design Name	Phases	Finish	Thickness
1	130x1600mm	Oak Wood Natural	Random 24	SPA	09mm
2	195x1600mm	Oak Wood Natural	Random 16	SPA	09mm
3	295x1600mm	Oak Wood Natural	Random 8	SPA	09mm
4	800x1600mm	Oak Wood Natural	Random 4	SPA	09mm
5	800x1600mm	Oak Wood Natural Decor 01	Random 2	SPA 3.0	09mm
6	800x1600mm	Oak Wood Natural Decor 02	Random 3	SPA 3.0	09mm
7	800x1600mm	Oak Wood Natural Decor 03	Random 4	SPA 3.0	09mm

Scan For Virtual







# Laying Patterns




130x1600mm  
195x1600mm




295x1600mm




130x1600mm  
195x1600mm




130x1600mm




130x1600mm



130x1600mm



130x1600mm



195x1600mm  
130x1600mm



WATCH  
INSTALLATION  
PROCESS

Please note that there may be variations in the colours due to the random design concept, which is part of the unique beauty of this concept. We advise you to view the actual tiles before making a final decision on colours. It is important to keep a gap of 2 mm between tiles during installation.

As a Precautionary measure, we recommend conducting a dry mock installation of the tiles to ensure seamless final installation.

Keep in mind that size and shape variation are inherent properties of all vitrified tiles and should not be considered as a manufacturing defect.

Claims made post-installation will not be address.

We are honoured to be a part of your home and are committed to providing you with a lifetime of joy and happiness.

## CLEANING & MAINTENCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	<b>Detergent</b>
Oil	Solvent	<b>Ammonia, Backing Soda</b>
Ink	Oxidant - Solvent	<b>Alcohol, Liquid Bleach, NailPaint Remover</b>
Rust	Acid	<b>Hydrochloric Acid, Vinegar, Red Harpic</b>
Lime	Acid	<b>Descaling Reagent, Hydra Chloric Acid</b>
Cement	Acid	<b>Hydro Chloric Acid</b>
Wine	Alkaline	<b>Ammonia, Liquid Bleach</b>
Coffee	Alkaline - Solvent	<b>Ammonia, Liquid Bleach</b>
Rubber	Solvent	<b>Alcohol, Thinner</b>
Plaster	Acid	<b>Hydro Chloric Acid</b>
Candle Wax	Solvent	<b>Alcohol, Thinner</b>
Iodine	Oxidant	<b>Liquid Bleach</b>
Blood	Oxidant	<b>Liquid Bleach</b>
Ice Cream	Alkaline	<b>Liquid Bleach</b>

**Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.**

## TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/2018 En14471 grbla	MOTTO VALUE	TEST METHOD
<b>Regulatory Properties</b>			
<b>Deviation in Length &amp; Width</b>	<b>+0.5%</b>	+0.2%	ISO 10545 -2
<b>Deviation in Thickness</b>	<b>+5%</b>	+5%	ISO 10545 -2
<b>Straightness of Sides</b>	<b>+0.5%</b>	+0.2%	ISO 10545 -2
<b>Rectangularity</b>	<b>+0.5%</b>	+0.2%	ISO 10545 -2
<b>Surface Flatness</b>	<b>+0.5%</b>	+0.3%	ISO 10545 -2
<b>Colour Difference</b>	<b>AE&lt;1.00</b>	AE<0.30	ISO 10545 -16
<b>Glossiness</b>	<b>As per Mfg.</b>	As Per Mfg.	GlossMeter
<b>Structural Properties</b>			
<b>Water Absorption</b>	<b>&lt;0.5 %</b>	<0.3 %	ISO 10545 -3
<b>Apparent Density</b>	<b>As Per Mfg.</b>	>2.20 g/cc	ISO 10545 -3
<b>Massive Mechanical Properties</b>			
<b>Modulus of Repture</b>	<b>Min. 35N/mm<sup>2</sup></b>	Min. 40N/mrn <sup>2</sup>	ISO 10545 -4
<b>Breaking Strength</b>	<b>Min. 1300 N</b>	Min. 2000 N	ISO 10545 -4
<b>Impact Resistance</b>	<b>As per Mfg.</b>	Min. 0.55	ISO 10545 -4
<b>Surface Mechanical Properties</b>			
<b>Surface Abrasion Resistance</b>	<b>As per Mfg.</b>	Min. class 3	ISO 10545 -7
<b>Moh's Hardness</b>	<b>As per Mfg.</b>	Min. class 4	BS EN 15771
<b>Thermo Hygrometric Properties</b>			
<b>Frost Resistance</b>	<b>As Per Mfg.</b>	Frost Proof	ISO 10545 -12
<b>Thermal Shock Resistance</b>	<b>Min. 10 Cycle</b>	Min. 10 Cycle	ISO 10545-9
<b>Moisture Expansion</b>	<b>Max. 0.6mm/m</b>	Max. 0.02mm/m	ISO 10545 -10
<b>Thermal Expansion</b>	<b>Max. 9.0 x 10<sup>-6</sup></b>	Max. 6.0x10 <sup>-6</sup>	ISO 10545 -8
<b>Chemical Properties</b>			
<b>Chemical Resistance</b>	<b>As Per Mfg.</b>	No Damage	ISO 10545-13
<b>Stain Resistance</b>	<b>Resistant</b>	Resistant	ISO 10545 -14
<b>Safety Properties</b>			
<b>Slip Resistance</b>	<b>As per Mfg.</b>	N. A.	DIN 51130
<b>Fire Resistance</b>	<b>As per Mfg.</b>	Fire Proof	N. A.

## PACKING DETAILS

Dimension ( mm )	No. of PC's/Box	Square Feet	Weight ( Approx )
800x1600mm	2 Pcs.	27.5 Sq. Feet	52 Kg.
295x1600mm	6 Pcs.	30.48 Sq. Feet	54 Kg.
195x1600mm	6 Pcs.	20.15 Sq. Pcs.	36 Kg.
130x1600mm	6 Pcs.	13.43 Sq. Pcs.	24 Kg.



**MOTTO GROUP**

8-A, National Highway, Sartanpar Road, At. Sartanpar,  
Ta. Wankaner, Morbi - 363 621, Gujarat, INDIA

**Mail.** [info@mottogroup.in](mailto:info@mottogroup.in), **Web.** [www.mottogroup.in](http://www.mottogroup.in)

**Toll-free.** 1800 123 2124

**Call.** +91 95123 80072

Scan for Catalogue

